



List of Claims:

1. (Withdrawn) A front-loading sink/laundry combo, comprising:
a cabinet;
a front-loading automatic washing machine having a drum, which is suspended inside of the said cabinet;
a motor connected to the said drum;
washing process control and programming means;
connection means for water supply and a waste line;
an access door;
a sink with a faucet mounted on the top of the cabinet and connected to the same water supply and a waste line;
vibration-absorbing wall anchoring means.
2. (Withdrawn) The front-loading sink/laundry combo defined in claim 1 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.
3. (Withdrawn) The front-loading sink/laundry combo defined in claim 1 wherein said front-loading automatic washing machine is removable attached to the cabinet under the sink.
4. (Withdrawn) The front-loading sink/laundry combo defined in claim 1 wherein said front-loading automatic washing machine is pivotally attached to the cabinet under the sink.
5. (Withdrawn) The front-loading sink/laundry combo defined in claim 1 wherein said front-loading automatic washing machine is pivotally attached to the cabinet under the sink having two way motion control and position-securing device.
6. (Withdrawn) The front-loading sink/laundry combo defined in claim 2 wherein said front-loading automatic washing machine is removable attached to the cabinet under the sink.

7. **(Withdrawn) The front-loading sink/laundry combo defined in claim 2 wherein said front-loading automatic washing machine is pivotally attached to the cabinet under the sink.**
8. **(Withdrawn) The front-loading sink/laundry combo defined in claim 2 wherein said front-loading automatic washing machine is pivotally attached to the cabinet under the sink having two way motion control and position-securing device (bar).**
9. **(Withdrawn) The front-loading sink/laundry combo defined in claim 1 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;**
10. **(Withdrawn) The front-loading sink/laundry combo defined in claim 2 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;**
11. **(Withdrawn) The front-loading sink/laundry combo defined in claim 2 wherein said dryer has a condensation device.**
12. **(Withdrawn) The front-loading sink/laundry combo defined in claim 2 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.**
13. **(Withdrawn) The front-loading sink/laundry combo defined in claim 2 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.**
14. **(Withdrawn) The front-loading sink/laundry combo defined in claim 2 wherein said dryer equipped with retractable ventilation hose.**
15. **(Withdrawn) The front-loading sink/laundry combo defined in claim 2 wherein said dryer equipped with water-filled lint trap and P-trap combo.**
16. **(Withdrawn) A front-loading sink/laundry combo, comprising:
a cabinet;
a front-loading automatic washing machine having a drum, which is suspended inside of the said cabinet, a motor connected to the said drum, washing process**

control and programming means, connection means for water supply and a waste line;

an access door;

a pitched sink with a faucet mounted on the top of the cabinet and connected to the same water supply and a waste line and the rotation axle of the drum is oriented in accordance with that pitch;

vibration-absorbing wall anchoring means.

17. (Withdrawn) The front-loading sink/laundry combo defined in claim 16 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.

18. (Withdrawn) The front-loading sink/laundry combo defined in claim 16 wherein said front-loading automatic washing machine is removable attached to the cabinet under the sink.

19. (Withdrawn) The front-loading sink/laundry combo defined in claim 16 wherein said front-loading automatic washing machine is pivotally attached to the cabinet under the sink.

20. (Withdrawn) The front-loading sink/laundry combo defined in claim 17 wherein said front-loading automatic washing machine is removable attached to the cabinet under the sink.

21. (Withdrawn) The front-loading sink/laundry combo defined in claim 17 wherein said front-loading automatic washing machine is pivotally attached to the cabinet under the sink.

22. (Withdrawn) The front-loading sink/laundry combo defined in claim 16 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;

23. (Withdrawn) The front-loading sink/laundry combo defined in claim 17 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;

24. (Withdrawn) The front-loading sink/laundry combo defined in claim 17 wherein said dryer has a condensation device.
25. (Withdrawn) The front-loading sink/laundry combo defined in claim 17 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.
26. (Withdrawn) The front-loading sink/laundry combo defined in claim 17 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
27. (Withdrawn) The front-loading sink/laundry combo defined in claim 17 wherein said dryer equipped with retractable ventilation hose.
28. (Withdrawn) The front-loading sink/laundry combo defined in claim 17 wherein said dryer equipped with water-filled lint trap and P-trap combo.
29. (Withdrawn) The front-loading sink/laundry combo defined in claim 16 wherein said front-loading automatic washing machine is pivotally attached to the cabinet under the sink having two way motion control and position-securing device.
30. (Withdrawn) The front-loading sink/laundry combo defined in claim 17 wherein said front-loading automatic washing machine is pivotally attached to the cabinet under the sink having two way motion control and position-securing device.
31. (Withdrawn) Method for installation of dryer or washer/dryer combo machine in a room having standard provision for sink connection and no provision for ventilation comprising the following steps:
a partial re-routing of a high humidity hot air from re-circulation circuit of the dryer;
removing said hot air out of operational area;
directing said hot air toward water waste line;
guiding of said hot air to the waste line via check-valve bypassing P-trap;
releasing of said hot air to waste line ventilation pipes over the adjacent part of a waste line;
preventing waste line air from return back to washer/dryer combo by check-

valve;

accumulating waste water in re-configured P-trap for lowering vibration of the cabinet.

32. (New) A front-loading sink/laundry combo, comprising:

a cabinet;

a front-loading automatic washing machine having a drum, which is suspended inside of the said cabinet, a motor connected to the said drum, washing process control and programming means, connection means for water supply and a waste line;

a sink with a faucet mounted on the top of the cabinet and connected to the same water supply and a waste line;

a P-trap configured flush to the wall with a tank-like expansion attached to the lower part of a cabinet and used for accumulation of large amount of running waste water which works as unit's cabinet static and dynamic vibration absorber.

33. (New) A front-loading sink/laundry combo, comprising:

a cabinet;

a front-loading automatic washing machine having a drum, which is suspended inside of the said cabinet, a motor connected to the said drum, washing process control and programming means, connection means for water supply and a waste line;

a sink with a faucet mounted on the top of the cabinet and connected to the same water supply and a waste line;

a waste water and hot air from dryer are connected to the same drain line

where waste water goes via P-trap and hot air goes direct to waste line bypassing P-trap utilizing air vent system of the waste line.

34. (New) A front-loading sink/laundry combo, comprising:

a cabinet;

a front-loading automatic washing machine having a drum, which is suspended inside of the said cabinet, a motor connected to the said drum, washing process control and programming means, connection means for water supply and a waste line;

a sink with a faucet mounted on the top of the cabinet and connected to the same water supply and a waste line;

a water-filled washable (self cleaning) lint trap, which is built-in in a tank-like expansion of the P-trap.